

	Hit s	Search Text	DBs
1	0	(physical and (logical or virtual)) with (track\$1 and column\$1 and (storage\$1 or disk\$1 or repositor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	0	(physical) with (track\$1 and column\$1 and (storage\$1 or disk\$1 or repositor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	30	(physical) and (track\$1 and column\$1 and (storage\$1 or disk\$1 or repositor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	15	9 and @ad < "20000202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	20	(logical or virtual) and (track\$1 and column\$1 and (storage\$1 or disk\$1 or repositor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	2	(logical or virtual) with (track\$1 and column\$1 and (storage\$1 or disk\$1 or repositor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hit s	Search Text	DBs
7	14	10 and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	0	14 and (continuous with tracks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	0	14 and (continuous same tracks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	0	14 and (continuous and tracks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	5	13 and (swap\$4 or (exhang\$4 with position\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	573 5	(continuous with tracks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hit s	Search Text	DBs
13	3930	18 and @ad < "20000202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	24	19 and (swap\$4 or (exhang\$4 with position\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	5	19 and ((swap\$4 or (exhang\$4 with position\$4)) with (track\$1 or volumn\$1 or area\$1 or storage\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	1	21 and (physical and (logical or virtual))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	4	21 not 22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB